

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-22-AM  
**Monitoring Date:** 4/12/2019  
**Received Date:** 4/12/2019  
**Analysis Date:** 4/12/2019  
**Report Date:** 4/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/162	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/163	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/164	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	0	100	<0.01
40-11032/165	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/166	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-22-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-23-AM  
**Monitoring Date:** 5/12/2019  
**Received Date:** 5/12/2019  
**Analysis Date:** 5/12/2019  
**Report Date:** 5/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/167	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/168	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/169	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	0	100	<0.01
40-11032/170	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/171	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-23-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-24-AM  
**Monitoring Date:** 6/12/2019  
**Received Date:** 6/12/2019  
**Analysis Date:** 6/12/2019  
**Report Date:** 6/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/172	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/173	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/174	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/175	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/176	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-24-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-25-AM  
**Monitoring Date:** 9/12/2019  
**Received Date:** 9/12/2019  
**Analysis Date:** 9/12/2019  
**Report Date:** 9/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/177	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/178	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/179	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/180	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/181	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-25-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-26-AM  
**Monitoring Date:** 10/12/2019  
**Received Date:** 10/12/2019  
**Analysis Date:** 11/12/2019  
**Report Date:** 11/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/182	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/183	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/184	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/185	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/186	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-26-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-27-AM  
**Monitoring Date:** 11/12/2019  
**Received Date:** 11/12/2019  
**Analysis Date:** 11/12/2019  
**Report Date:** 11/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/187	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/188	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	2	100	<0.01
40-11032/189	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	0	100	<0.01
40-11032/190	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/191	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-27-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-28-AM  
**Monitoring Date:** 12/12/2019  
**Received Date:** 12/12/2019  
**Analysis Date:** 12/12/2019  
**Report Date:** 13/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/192	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/193	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/194	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/195	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/196	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-28-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-29-AM  
**Monitoring Date:** 13/12/2019  
**Received Date:** 13/12/2019  
**Analysis Date:** 13/12/2019  
**Report Date:** 13/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/197	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	0	100	<0.01
40-11032/198	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	1	100	<0.01
40-11032/199	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/200	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	0	100	<0.01
40-11032/201	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-29-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.



# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-30-AM  
**Monitoring Date:** 16/12/2019  
**Received Date:** 16/12/2019  
**Analysis Date:** 16/12/2019  
**Report Date:** 16/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/202	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	0	100	<0.01
40-11032/203	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	1	100	<0.01
40-11032/204	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	2	100	<0.01
40-11032/205	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	0	100	<0.01
40-11032/206	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-30-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-31-AM  
**Monitoring Date:** 17/12/2019  
**Received Date:** 17/12/2019  
**Analysis Date:** 17/12/2019  
**Report Date:** 17/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/207	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	0	100	<0.01
40-11032/208	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	2	100	<0.01
40-11032/209	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/210	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	0	100	<0.01
40-11032/211	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-31-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-32-AM  
**Monitoring Date:** 18/12/2019  
**Received Date:** 18/12/2019  
**Analysis Date:** 18/12/2019  
**Report Date:** 18/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/212	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/213	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	1	100	<0.01
40-11032/214	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/215	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	0	100	<0.01
40-11032/216	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-32-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.

# Air Monitoring Certificate



Clearsafe Environmental Solutions Pty Ltd  
 9 Industrial Road, Unanderra NSW 2526  
 info@clearsafe.com.au  
 1300 042 962

**Report Number:** 40-11032-33-AM  
**Monitoring Date:** 19/12/2019  
**Received Date:** 19/12/2019  
**Analysis Date:** 19/12/2019  
**Report Date:** 19/12/2019  
**Site Address:** Concord Repatriation General Hospital, Hospital Rd  
 Concord NSW 2139  
**Client Name:** N. Moit & Sons (NSW) Pty. Ltd.  
**Client Address:** 142 Wicks Road  
 Macquarie Park NSW 2113

**Client Contact:** Omar Ghanem  
**Sampled By:** Gonzalo Serna Diaz  
**Approved Counter:** Gonzalo Serna Diaz  
**Approved Signatory:** Luke Heckenberg

**Test Method:** Airborne fibre monitoring in accordance with the Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres [NOHSC:3003(2005)] and Clearsafe method SOP.AM.01.

**Notes:** The results contained within this report relate only to the samples tested. This report should not be copied, presented or reviewed except in full.

Sample Number	Location	Code*	Time		Airflow		Fibres	Fields	Conc.**
			On	Off	On	Off			
40-11032/217	Location 1 - Redevelopment area, removal zone, southern timber boundary fence	5	07:00	14:00	1.02	1.02	1	100	<0.01
40-11032/218	Location 2 - Hospital atrium area, south eastern end adjacent southern wing exclusion boundary fencing	5	07:01	14:01	1.02	1.02	0	100	<0.01
40-11032/219	Location 4 - Redevelopment area, north eastern corner of site on boundary fencing	5	07:02	14:02	1.02	1.02	1	100	<0.01
40-11032/220	Location 5 - Redevelopment area, southern boundary fencing, east end	5	07:03	14:03	1.02	1.02	1	100	<0.01
40-11032/221	Field Blank	6					0	100	N/A

\*\* Concentration in Fibres/mL of air

\* Sample Codes:

- 1 - Asbestos removal
- 2 - Bag-out
- 3 - Enclosure dismantling
- 4 - Clearance
- 5 - Background
- 6 - Blank Sample
- 7 - Fibre Count Only
- 8 - Personal monitoring

40-11032-33-AM



**NATA Accredited Laboratory No. 18542**

Accredited for compliance with ISO/IEC 17025 - Testing. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian / national standards.